

Saenz Medical Center

Wednesday, June 28, 2023

1000 East Highway 83
Suite 4
La Joya, TX 78560-1000
(956)585-1688

Demographics for Marron, Maria San Juanita
Medical Record Number:

Name: Marron, Maria San Juanita
External ID: 24531
Also Known As: Marron, Maria San Juanita
Social Security Number: 460-83-6050
Medical Record Number:
Practice Provider: Saenz, Javier
Referring Provider: Saenz, Javier
Date of Birth: 11/5/1958
Age: 64 Years
Gender: Female
Gender Identity:
Sexual Orientation:
Preferred Contact Method: Phone 1
Primary Address:
17105 Queen Palm Dr
Penas TX 78576
Usa



Secondary Address:

Phone Numbers:

- 1. (956)540-9469 cell
- 3. (956)445-3781 SON

- 2. (956)270-0020 DAUGHTER
- 4. (956)540-9469 DAUGHTER

Email Addresses:

- 1.

- 2.

Marital Status: Married
Preferred Language: Spanish
Translator Required: No
Driver's License Number:
Release Signed Date:
Original Chart Scanned:
Patient Status:

Race: White
Ethnicity: Hispanic or Latino
Dominant Hand:

Notes: 956529-6977-CELL 249-8060 DAUGHTER MARITZA MARRON

Saenz Medical Center
1000 East Highway 83
Suite 4
La Joya, TX 78560-1000
(956)585-1688

Wednesday, June 28, 2023

Accounts for Marron, Maria San Juanita

Medical Record Number:

Account: MC/MA

[Add New Account](#)

Account External ID: 20658
Total Account Balance: \$2,772.47

Account Type: Medicare Part B
Patient Balance: \$0.00

Coverage Type:

Responsible Party External ID: 711
Responsible Party: Marron, Maria

Responsible Party Balance: \$0.00
Collection Status:

Payer Credit Balance:
\$0.00
Last Statement:
Statement: System -
Send

Sufficient Payment Due: \$0.00
Drug Formulary: Caremark - TEXAS DUAL FORMULARY

Due Date:

Current Insurance (Past-Future): [Eligibility Date](#)

Ins	Ins Subscriber	Payer/Plan	Status	Ded	Rmng	Eff Date	Copay Primary	Copay Spc	Copay Other
Primary	Marron, Maria San Juanita DOB: 11/5/1958 Patient Relation:Self Authorize Assignment: Yes	SUPERIOR MEDICARE/SUPERIOR MEDICARE Group ID: Member ID:C4014446401 P.O. Box 3080 FARMINGTON, MO 63640 (866)896-1844							
Secondary	Marron, Maria San Juanita DOB: 11/5/1958 Patient Relation:Self Authorize Assignment: Yes	MEDICAID/Medicaid Group ID: Member ID:522587229 Po Box 200555 AUSTIN, TX 78720 (800)925-9126	Active Coverage	\$0.00	\$0.00				

Account: Main

Account External ID: 726
Total Account Balance: \$241.84

Account Type: United Healthcare
Patient Balance: \$0.00

Coverage Type: Medical

Responsible Party External ID: 711
Responsible Party: Marron, Maria

Responsible Party Balance: \$0.00
Collection Status:

Payer Credit Balance:
\$0.00
Last Statement:
Statement: System -
Send

Sufficient Payment Due: \$0.00
Drug Formulary: Caremark - TEXAS DUAL FORMULARY

Due Date:

Current Insurance (1/1/2016-Future): [Eligibility Date 02/25/2020](#)

Ins	Ins Subscriber	Payer/Plan	Status	Ded	Rmng	Eff Date	Copay Primary	Copay Spc	Copay Other
Primary	Marron, Maria San Juanita DOB: 11/5/1958 Patient Relation:Self Authorize Assignment: Yes	UNITED HEALTH CARE/United Healthcare Group ID: 99952 Member ID:915528739 Po Box 740819 ATLANTA, GA 30374 (800)523-5880	Inactive	\$0.00	\$0.00				
Secondary	Marron, Maria San Juanita DOB: 11/5/1958 Patient Relation:Self Authorize Assignment: Yes	Superior Health Plan/Superior Health Plan Group ID: Member ID:522587229 Po Box 3003 Farmington, MO 63640 (800)783-5386		\$0.00	\$0.00				

Marron, Maria San Juanita/24531/F DOB 11-05-1958 (64 Years) Date of service 05-09-2023

1 of 17

Patient: Marron, Maria San Juanita
Address: 17105 Queen Palm Dr Penitas, TX 78576
Date of Birth: November 05, 1958

Visit Date: 06/09/2023

Patient: Marron, Marla San Juanita
17105 Queen Palm Dr
Penitas, TX 78576 Usa
DOB: 11/05/1958 **Sex:** Female
Phones: cell: (956)540-9489 **DAUGHTER:** (956)270-0020 **SON:** (956)445-3781 **DAUGHTER:**
(956)540-9469
Status: Complete.
Visit Last Changed: 05/17/2023 04:25 PM

CC / HPI:

Patient in for follow up on chronic medical problems. In for ER follow up. States her boyfriend picked her up and hurt her rib area. Evaluated at MRMC 5/07/23 and had xrays. Impression rib contusion.

States now is better

Also in for review of lab results.

hx of depression, RX Duloxetine

HX of fatty liver

Cardio-Dr Yarra, Hx of PVD

HX of chronic back pain- follows Dr Jaime Villareal.

HX of bariatric surgery per Dr Alleyn

HX of polyneuropathy per abnormal sudoscan

GI Dr Chacon

Pulmo- Dr Juan Marcos Chavez Paz. HX of asthma. Abnormal CT chest 2015- pulmonary nodules. CT chest denied.

Ophth Dr Shah. HX of NPDR

She presented with diabetes mellitus. It is described as chronic and stable. The symptom started onset as an adult. The symptom is alleviated by medication, diet and exercise. Foods include ADA diet.

In addition, she presented with hyperlipidemia. Initial diagnosis was chronic. Current treatment includes exercise program and dietary modification. By report, there is fair compliance with treatment.

The patient also presented with hypertension. Salt restriction. It is described as chronic. The symptom is ongoing. The symptom is alleviated by diet changes and medication.

She next presented with disturbances of emotion. It is described as anxiety and depression. The symptom is gradual in onset and ongoing. The symptom is alleviated by therapy and medication.

She also presented with multiple joint pain. It is located diffusely. It is described as chronic. The symptom is gradual in onset and ongoing. The symptom is alleviated by rest and medication.

Current Medication:

pioglitazone 30 mg tablet, Take 1 Tablet(s) Oral every day para diabetes, 90 days, 2 refills, for a total of 90, start on April 11, 2023, end on January 05, 2024, maintenance drug. Completed Rx.

amlodipine 5 mg tablet, Take 1 Tablet(s) Oral two times a day, 90 days, 3 refills, for a total of 180, start on December 02, 2021, end on November 26, 2022, maintenance drug. Completed Rx.

ezetimibe 10 mg tablet, tablet oral, 90 days, for a total of 90, start on August 20, 2020, maintenance drug.

Marron, María San Juanita/24531/F DOB 11-05-1958 (64 Years) Date of service 05-09-2023

2 of 17

Patient: Marron, Marla San Juanita

Address: 17105 Queen Palm Dr Penitas, TX 78576

Date of Birth: November 05, 1958

celirizine 10 mg tablet, TAKE 1 TABLET BY MOUTH ONCE A DAY FOR ALLERGIES Take 1 Tablet(s) Oral every day, 90 days, 3 refills, for a total of 90, start on September 22, 2022, end on September 16, 2023. Completed Rx.

metformin 500 mg tablet, TAKE ONE TABLET BY MOUTH TWICE A DAY PARA DIABETES, 90 days, for a total of 180, start on April 12, 2023, end on July 10, 2023. Completed Rx.

losartan 100 mg tablet, Take 1 Tablet(s) Oral every day FOR BLOOD PRESSURE, 90 days, 2 refills, for a total of 90, start on February 14, 2023, end on November 10, 2023. Completed Rx.

Gas Relief (simethicone) 125 mg chewable tablet, tablet,chewable oral, 30 days, for a total of 90, start on November 08, 2017.

Mapap (acetaminophen) 500 mg capsule, Take 1 Capsule(s) Oral every 4-6 hours, start on May 09, 2023.

simethicone 125 mg chewable tablet, 1 Tablet(s) Oral three times a day as needed PRN gas/bloating, 10 days, for a total of 30, start on November 25, 2020. Completed Rx.

Review of history:

I reviewed the documented medical, medication, surgical, social, drug allergy and vitals histories.

ROS:

Constitutional: The patient complained of **fatigue** but denied chills and fever.

Eyes: The patient denied recent vision change.

Ears/Nose/Throat/Neck: The patient denied nasal congestion, sore throat and vertigo.

Cardiovascular: The patient denied chest pain.

Musculoskeletal: The patient complained of **joint pain and back pain**.

Gastrointestinal: The patient denied abdominal pain, diarrhea, nausea and vomiting.

Genitourinary/Nephrology: The patient denied dysuria.

Dermatologic: The patient denied rash.

Respiratory: The patient denied cough.

Neurologic: The patient denied headache.

Psychiatric: The patient complained of **anxiety and depression** but denied suicidal thought.

Hematologic/Lymphatic: The patient denied hematochezia.

Vital Signs:

Weight	139 lbs 3.2 oz clothed w/ shoes
Height	5'
BMI	27.2
Temp	99.2 F forehead thermometer
RR	18 bpm quiet
HR	95 bpm Sitting other regular
BP	134/78 mmHg Left Arm Sitting manual
BP 2	
Head Circ	
SpO2	98 % room air
Waist	

PE:

Marron, Maria San Juanita/24531/F DOB 11-05-1958 (64 Years) Date of service 05-09-2023

3 of 17

Patient: Marron, Maria San Juanita

Address: 17105 Queen Palm Dr Pentas, TX 78576

Date of Birth: November 05, 1958

Constitutional

general appearance

overall: in no acute distress, well developed and well nourished

Left Eyes

conjunctiva/eyelids

overall: conjunctiva clear and EOMI

pupils and irises

overall: pupils equal, round, reactive to light and accommodation

Right Eyes

conjunctiva/eyelids

overall: conjunctiva clear and EOMI

pupils and irises

overall: pupils equal, round, reactive to light and accommodation

Left Ears/Nose/Throat

external ear

overall: normal appearance

external nose

overall: benign appearance

otoscopic exam

overall: external auditory canals clear and tympanic membranes clear

oral cavity/pharynx/larynx

overall: tonsils benign and oropharyngeal mucosa clear

Right Ears/Nose/Throat

external ear

overall: normal appearance

external nose

overall: benign appearance

otoscopic exam

overall: external auditory canals clear and tympanic membranes clear

oral cavity/pharynx/larynx

overall: tonsils benign and oropharyngeal mucosa clear

Neck

thyroid

overall: normal size, nontender and no mass lesions

inspection of neck

overall: normal size, normal appearance and no masses

Respiratory

auscultation

overall: normal breath sounds and breath sounds clear bilaterally

respiratory effort/rhythm

overall: no respiratory distress and normal rate

Cardiovascular

auscultation of heart

overall: regular rate, normal heart sounds and no murmurs

rhythm: regular rhythm

Abdomen

general

overall: no rebound or guarding

Musculoskeletal

head and neck

overall: pain over multiple joints

digits and nails

Marron, Maria San Juanita/24531/F DOB 11-05-1958 (64 Years) Date of service 05-09-2023

4 of 17

Patient: Marron, Marla San Juanita

Address: 17105 Queen Palm Dr Penitas, TX 78576

Date of Birth: November 05, 1958

overall: no clubbing

right upper extremity

overall: normal RUE bulk and tone

left upper extremity

overall: normal LUE bulk and tone

right lower extremity

overall: normal RLE bulk and tone

left lower extremity

overall: normal LLE bulk and tone

gait and station

overall: normal gait

Integument

Inspection of skin

overall: no rash, lesions

Neurologic

mental status

overall: alert

Dx:

BMI 27.0-27.9,ADULT

Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene

Major depressive disorder, recurrent, mild

Essential (primary) hypertension

Polyneuropathy in diseases classified elsewhere

Opioid dependence, uncomplicated (tramadol)

Type 2 diabetes mellitus with diabetic chronic kidney disease

Type 2 diabetes mellitus with other specified complication

Type 2 diabetes mellitus with diabetic polyneuropathy

Bariatric surgery status

Mixed hyperlipidemia

Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease

Chronic kidney disease, stage 2 (mild)

Back pain

Dietary counselling and surveillance

Age-related osteoporosis without current pathological fracture

Fatty liver

Pulmonary nodule

Mixed incontinence

Primary generalized (osteo)arthritis

Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral

Hospital discharge follow-up

Rx:

Robitussin Cough-Chest Congestion DM 5 mg-100 mg/5 mL oral liquid, Take 5-10 Milliliter(s) Oral every four hours, 7 days, for a total of 240, start on May 09, 2023, end on May 15, 2023. Completed Rx.

Services Performed:

Marron, Maria San Juanita/24531/F DOB 11-05-1958 (64 Years) Date of service 05-09-2023

5 of 17

Patient: Marron, Marla San Juanita
Address: 17105 Queen Palm Dr Penitas, TX 78576
Date of Birth: November 05, 1958

2001F WEIGHT RECORD
 2010F VITAL SIGNS RECORDED
 3008F BODY MASS INDEX DOCD
 G8420 BMI < 30 AND > 22 was calculated and documented
 G8752 SYS BP LESS 140
 G8754 DIAS BP LESS 90
 3075F SYST BP GE 130 - 139MM HG
 3078F DIAST BP < 80 MM HG
 1034F CURRENT TOBACCO SMOKER
 99214 ESTABLISHED PATIENT - HIGH
 1111F DSCHRG MED/CURRENT MED MERGE
 G8427 DOC CUR MEDS BY PROV
 1159F MED LIST DOCD IN RCRD
 1160F RVW MEDS BY RX/DR IN RCRD
 1110F PT LFT INPT FAC W/IN 60 DAYS
 Calculated Complexity:None

Services Ordered:

Patient Referrals Related To This Visit:
 Saenz, Javier MD (Family Practice)

Plan:

A return visit is indicated in 3 months. EXERCISE AS TOLERATED exercise is recommended. She was advised to be on a Low salt, low cholesterol, low fat diet. She was given these forms: 'Patient Medication Summary', 'SAENZ_TOBACCO CESSATION (ENGLISH)', 'Saenz S Tobacco Cessation', 'Diabetes Mellitus: Type 2', 'Osteoporosis in Women', 'Osteoporosis' and 'Exercise to Stay Healthy'.

Lab results discussed
 Continue current medications.
 Keep specialist appts.
 Will request er discharge summary
 Pain relieving measures discussed.

Patient Instruction:
 Return sooner if needed. Please call office if you should feel worse.

Moderation of carbohydrates Reduce processed foods. Limit saturated fat.
 Increase vegetables and fruits.
 Increase water. Avoid juices, sodas, teas.
 Weight loss and aerobic exercise encouraged.
 Increase dietary fiber, complex carbohydrates and unsaturated fats.

Patient History As Of This Visit

Medication History:
 cetirizine 10 mg tablet, TAKE 1 TABLET BY MOUTH ONCE A DAY FOR ALLERGIES Take 1 Tablet(s)
 Oral every day, 90 days. Completed Rx. Active

Marron, Maria San Juanita/24531/F DOB 11-05-1958 (64 Years) Date of service 05-09-2023

6 of 17

Patient: Marron, Maria San Juanita

Address: 17105 Queen Palm Dr Penitas, TX 78576

Date of Birth: November 05, 1958

ezetimibe 10 mg tablet, tablet oral, 90 days. Active
Gas Relief (simethicone) 125 mg chewable tablet, tablet, chewable oral, 30 days. Active
losartan 100 mg tablet, Take 1 Tablet(s) Oral every day FOR BLOOD PRESSURE, 90 days. Completed Rx. Active
Mapap (acetaminophen) 500 mg capsule, Take 1 Capsule(s) Oral every 4-6 hours. Active
metformin 500 mg tablet, TAKE ONE TABLET BY MOUTH TWICE A DAY PARA DIABETES, 90 days. Completed Rx. Active
pioglitazone 30 mg tablet, Take 1 Tablet(s) Oral every day para diabetes, 90 days. Completed Rx. Active
Robitussin Cough-Chest Congestion DM 5 mg-100 mg/5 mL oral liquid, Take 5-10 Milliliter(s) Oral every four hours, 7-days. Completed Rx. Active
simethicone 125 mg chewable tablet, 1 Tablet(s) Oral three times a day as needed PRN gas/bloating, 10 days. Completed Rx. Active
acetaminophen 500 mg tablet, Take 1 Tablet(s) Oral every 4-6 hours, 30 days. Completed Rx. Inactive
acetaminophen 300 mg-codeine 30 mg tablet, 1 Tablet(s) PO TID as needed for pain. Completed Rx. Inactive
~~Actoplus MET 15 mg-500 mg tablet, TAKE 1 TABLET BY MOUTH TWICE DAILY. Completed Rx. Inactive~~
Actoplus MET 15 mg-500 mg tablet, TAKE 1 TABLET BY MOUTH TWICE DAILY. Completed Rx. Inactive
Actoplus MET 15 mg-500 mg tablet, PO TAKE 1 TABLET BY MOUTH TWICE DAILY. Completed Rx. Inactive
Actoplus MET 15 mg-500 mg tablet, 1 Tablet(s) PO BID, 30 days. Inactive
Actoplus MET 15 mg-500 mg tablet, 1 Tablet(s) PO BID, 30 days. Inactive
Actos 30 mg tablet, 1 Tablet(s) PO daily, 30 days. Completed Rx. Inactive
acyclovir 800 mg tablet, 1 Tablet(s) PO 5 times daily x 1 week (in spanish). Completed Rx. Inactive
~~albuterol sulfate 2.5 mg/3 mL (0.083 %) solution for nebulization, 1 Unit(s) INH Q4 6H, 10 days. Completed Rx. Inactive~~
albuterol sulfate 2.5 mg/3 mL (0.083 %) solution for nebulization, 1 Unit Dose Inhalation every four hours as needed wheezing/SOB. Completed Rx. Inactive
alendronate 70 mg tablet, Take Tablet(s) Oral once a week, 90 days. Completed Rx. Inactive
alendronate 70 mg tablet, Take Tablet(s) Oral once a week, 90 days. Completed Rx. Inactive
alprazolam 0.25 mg tablet, 1 Tablet(s) PO TID as needed anxiety in spanish, 30 days. Completed Rx. Inactive
alprazolam 0.5 mg tablet, 1 Tablet(s) PO BID as needed anxiety (in spanish). Completed Rx. Inactive
amlodipine 5 mg tablet, TAKE 1 TABLET BY MOUTH ONCE A DAY, 90 days. Completed Rx. Inactive
amlodipine 5 mg tablet, 1T1, 90 days. Completed Rx. Inactive
amlodipine 5 mg tablet, Take 1 Tablet(s) Oral two times a day, 90 days. Completed Rx. Inactive
amlodipine 5 mg tablet, Take 1 Tablet(s) Oral every day, 90 days. Completed Rx. Inactive
amlodipine 5 mg tablet, 1 Tablet(s) tablet Oral every day, 90 days. Completed Rx. Inactive
amlodipine 5 mg tablet, tablet oral, 30 days. Inactive
amlodipine 10 mg tablet, 1 Tablet(s) PO daily blood pressure, 90 days. Completed Rx. Inactive
amlodipine 10 mg tablet, 1 Tablet(s) PO daily blood pressure, 90 days. Completed Rx. Inactive
amoxicillin 875 mg tablet, 1 Tablet(s) PO BID. Inactive
Aspirin Low-Strength 81 mg chewable tablet, 1 Tablet(s) daily. Inactive
atorvastatin 20 mg tablet, 1 Tablet(s) PO QHS for cholesterol (in spanish), 90 days. Completed Rx. Inactive
~~Avandamet 2 mg-500 mg tablet, 1 Tablet(s) PO BID, 180 days. Completed Rx. Inactive~~
Avandamet 2 mg-500 mg tablet, 1 Tablet(s) PO BID, 180 days. Inactive
Ayr Saline 0.65 % nasal drops, Drop(s) NASAL udse as direc. Completed Rx. Inactive
azithromycin 250 mg tablet, Take Tablet(s) Oral 2 tablets today then 1 tab daily for 4 days. Infection. Completed Rx. Inactive
azithromycin 250 mg tablet, Take Tablet(s) Oral 2 tablets today then 1 tab daily for 4 days. Infection. Completed Rx. Inactive

Marron, Maria San Juanita/24531/F DOB 11-05-1958 (64 Years) Date of service 05-09-2023

7 of 17

Patient: Marron, Maria San Juanita

Address: 17105 Queen Palm Dr Penitas, TX 78576

Date of Blrth: November 05, 1958

baclofen 10 mg tablet, 1/2-1 Tablet(s) PO BID as needed para dolor muscular. Completed Rx. Inactive
 baclofen 10 mg tablet, 1/2-1 Tablet(s) PO BID as needed para dolor muscular. Completed Rx. Inactive
 baclofen 10 mg tablet, Take 1 Tablet(s) Oral every evening muscle relaxer, 30 days. Completed Rx.
 Inactive
 baclofen 10 mg tablet, 1 Tablet(s) Oral every evening as needed for muscle spasm, 30 days. Completed
 Rx. Inactive
 baclofen 10 mg tablet, 1 Tablet(s) Oral every evening as needed as needed for muscle spasm, 14 days.
 Completed Rx. Inactive
 baclofen 10 mg tablet, 1/2-1 Tablet(s) PO BID as needed para dolor muscular. Completed Rx. Inactive
~~baclofen 10 mg tablet, 1/2 Tablet(s) PO BID as needed para dolor muscular, 30 days. Completed Rx.~~
 Inactive
 Bactrim DS 800 mg-160 mg tablet, Take 1 Tablet(s) Oral two times a day Infection, 10 days. Completed
 Rx. Inactive
 Bactrim DS 800 mg-160 mg tablet, Take 1 Tablet(s) Oral two times a day infection, 7 days. Completed
 Rx. Inactive
 Bactrim DS 800 mg-160 mg tablet, Take 1 Tablet(s) Oral two times a day infection, 7 days. Completed
 Rx. Inactive
 Bactrim DS 800 mg-160 mg tablet, 1 Tablet(s) PO BID for Infection, 10 days. Completed Rx. Inactive
 Bactrim DS 800 mg-160 mg tablet, 1 Tablet(s) PO BID, 10 days. Completed Rx. Inactive
~~Bactrim DS 800 mg-160 mg tablet, 1 Tablet(s) PO BID for stomach infection, 10 days. Completed Rx.~~
 Inactive
 Bactrim DS 800 mg-160 mg tablet, 1 Tablet(s) PO BID for infection, 10 days. Completed Rx. Inactive
~~Benadryl 25 mg capsule, 1-2 Capsule(s) PO Q4-6H as needed for itching/allergies, 15 days. Completed~~
 Rx. Inactive
 Breo Ellipta 200 mcg-25 mcg/dose powder for inhalation, INH. Inactive
~~bupropion HCl XL 300 mg 24 hr tablet, extended release, TAKE 1 TABLET BY MOUTH ONCE~~
~~DAILY;Generic For:WELLBUTRIN XL 300MG. Completed Rx. Inactive~~
 bupropion HCl XL 300 mg 24 hr tablet, extended release, 1 Tablet(s) PO daily, 90 days. Inactive
 carvedilol 3.125 mg tablet, 1 Tablet(s) Oral two times a day, 90 days. Completed Rx. Inactive
~~cefdinir 300 mg capsule, 1 Capsule(s) PO BID, 10 days. Completed Rx. Inactive~~
 cefdinir 300 mg capsule, 1 Capsule(s) PO BID, 10 days. Completed Rx. Inactive
 cetirizine 10 mg tablet, TAKE 1 TABLET BY MOUTH ONCE A DAY AS NEEDED FOR ITCHING / FOR
 ALLERGIES, 30 days. Completed Rx. Inactive
 cetirizine 10 mg tablet, TAKE 1 TABLET BY MOUTH ONCE A DAY FOR ALLERGIES, 30 days.
 Completed Rx. Inactive
 cetirizine 10 mg tablet, TAKE 1 TABLET BY MOUTH ONCE A DAY FOR ALLERGIES Take 1 Tablet(s)
 Oral every day, 90 days. Completed Rx. Inactive
 cetirizine 10 mg tablet, Take 1 Tablet(s) Oral every day allergies, 30 days. Completed Rx. Inactive
 cetirizine 10 mg tablet, 1 Tablet(s) Oral every day for allergies/itching, 90 days. Completed Rx. Inactive
 cetirizine 10 mg tablet, 1 Tablet(s) PO daily for allergies/itching, 90 days. Completed Rx. Inactive
 cetirizine 10 mg tablet, 1 Tablet(s) PO daily for allergies/itching, 30 days. Completed Rx. Inactive
 cetirizine 10 mg tablet, 1 Tablet(s) PO daily for allergies/itching, 30 days. Completed Rx. Inactive
 Cheratussin AC 10 mg-100 mg/5 mL oral liquid, 2 Teaspoon(s) PO Q4-6H as needed for
 cough,congestion (spanish). Completed Rx. Inactive
 chlorzoxazone 500 mg tablet, TAKE 1/2 TO 1 TABLET BY MOUTH AT BEDTIME FOR
 CRAMPS;Generic For:PARAFON FORT DSC. Completed Rx. Inactive
 chlorzoxazone 500 mg tablet, 1/2-1 Tablet(s) PO QHS FOR CRAMPS. Inactive
 chlorzoxazone 500 mg tablet, 1/2 - 1 Tablet(s) PO QHS for cramps, 30 days. Inactive
 chlorzoxazone 500 mg tablet, PO TAKE 1/2 TO 1 TABLET BY MOUTH AT BEDTIME FOR
 CRAMPS;Generic For:PARAFON FORT DSC. Completed Rx. Inactive
 Cipro 500 mg tablet, Take 1 Tablet(s) Oral two times a day, 7 days. Completed Rx. Inactive
 clarithromycin 500 mg tablet, 1 Tablet(s) PO BID for HPYLORI, 14 days. Completed Rx. Inactive
 clarithromycin 500 mg tablet, 1 Tablet(s) PO BID for h pylori infection, 14 days. Completed Rx. Inactive
 clarithromycin 500 mg tablet, 1 Tablet(s) PO BID. Inactive

Marron, Marla San Juanita/24531/F DOB 11-05-1958 (64 Years) Date of service 05-09-2023

8 of 17

Patient: Marron, Marla San Juanita

Address: 17105 Queen Palm Dr Penitas, TX 78576

Date of Birth: November 05, 1958

clarithromycin 500 mg tablet, 1 Tablet(s) PO BID infection, 14 days. Completed Rx. Inactive
 clindamycin HCl 300 mg capsule, 1 Capsule(s) PO TID for infection, 10 days. Completed Rx. Inactive
 clindamycin 300 mg capsule, 1 Capsule(s) PO Every 6 hours. Inactive
 clindamycin 300 mg capsule, 1 Capsule(s) PO Every 6 hours, 10 days. Inactive
 clotrimazole 1 % topical solution, 4 Drop(s) TOP BID massage onto nails for fungal infection (spanish).
 Completed Rx. Inactive
 Colace 100 mg capsule, 2 Capsule(s) PO QHS constipation as needed (in spanish). Completed Rx.
 Inactive
 Crestor 10 mg tablet, 1 Tablet(s) PO QHS, 90 days. Completed Rx. Inactive
 Crestor 20 mg tablet, 1 Tablet(s) PO QHS. Inactive
~~Darvocet-N 100 100 mg-650 mg tablet, Tablet(s) PO Q4-6H The approved controlled substance refill
 request will be faxed., 30 days. Completed Rx. Inactive~~
 Diflucan 200 mg tablet, 1 Tablet(s) PO now then repeat in 1 week (spanish). Completed Rx. Inactive
~~diphenhydramine 25 mg capsule, 1 Capsule(s) PO BID. Inactive~~
 docusate calcium 240 mg capsule, TAKE 1 CAPSULE BY MOUTH 1 A 2 VECES AL DIA AS NEEDED
 PARA ESTRENIMIENTO, 30 days. Completed Rx. Inactive
~~docusate calcium 240 mg capsule, 1 Capsule(s) PO. Inactive~~
 docusate calcium 240 mg capsule, 1 Capsule(s) PO daily use as directed as needed for constipation, 30
 days. Completed Rx. Inactive
 docusate calcium 240 mg capsule, 1 Capsule(s) PO BID use as directed as needed for constipation.
 Completed Rx. Inactive
 docusate calcium 240 mg capsule, 1 Capsule(s) PO BID. Inactive
 duloxetine 40 mg capsule, delayed release, Take 1 Capsule(s) Oral every day depression/anxiety, 90
 days. Completed Rx. Inactive
 duloxetine 30 mg capsule, delayed release, 1 Capsule(s) PO daily for depression, 90 days. Completed
 Rx. Inactive
 duloxetine 30 mg capsule, delayed release, 1 Capsule(s) PO daily for depression, 30 days. Completed
 Rx. Inactive
 ergocalciferol (vitamin D2) 1,250 mcg (50,000 unit) capsule, TAKE 1 CAPSULE BY MOUTH ONCE A
 WEEK, 84 days. Completed Rx. Inactive
 ergocalciferol (vitamin D2) 1,250 mcg (50,000 unit) capsule, 1 Capsule(s) Oral once a week, 90 days.
 Completed Rx. Inactive
 ergocalciferol (vitamin D2) 1,250 mcg (50,000 unit) capsule, 1 Capsule(s) Oral once a week, 90 days.
 Completed Rx. Inactive
 ergocalciferol (vitamin D2) 1,250 mcg (50,000 unit) capsule, 1 Capsule(s) Oral once a week, 90 days.
 Completed Rx. Inactive
 escitalopram 10 mg tablet, TAKE 1 TABLET BY MOUTH ONCE A DAY, 90 days. Completed Rx.
 Inactive
 escitalopram 10 mg tablet, 1 Tablet(s) PO daily 1 Tablet(s) PO daily, 90 days. Completed Rx. Inactive
 escitalopram 10 mg tablet, 1 Tablet(s) PO daily, 30 days. Completed Rx. Inactive
 escitalopram 10 mg tablet, Take 1 Tablet(s) Oral every day, 90 days. Completed Rx. Inactive
 escitalopram 10 mg tablet, 1 Tablet(s) PO daily 1 Tablet(s) PO daily, 90 days. Completed Rx. Inactive
 escitalopram 10 mg tablet, 1 Tablet(s) PO daily, 30 days. Completed Rx. Inactive
 escitalopram 10 mg tablet, 1 Tablet(s) PO daily. Inactive
~~escitalopram 10 mg tablet, 1 Tablet(s) PO daily depression, 30 days. Completed Rx. Inactive~~
 escitalopram 10 mg tablet, 1 Tablet(s) PO daily. Inactive
 ezetimibe 10 mg tablet, TAKE 1 TABLET BY MOUTH EVERYDAY IN THE EVENING, 90 days.
 Completed Rx. Inactive
 ezetimibe 10 mg tablet, 1 Tablet(s) PO daily, 30 days. Completed Rx. Inactive
 ezetimibe 10 mg tablet, TAKE 1 TABLET BY MOUTH EVERYDAY IN THE EVENING, 90 days.
 Completed Rx. Inactive
 ezetimibe 10 mg tablet, 1 Tablet(s) Oral every night at bedtime. Inactive
 ezetimibe 10 mg tablet, 1 Tablet(s) Oral every evening, 90 days. Completed Rx. Inactive
 ezetimibe 10 mg tablet, 1 Tablet(s) PO QHS, 90 days. Completed Rx. Inactive

Marron, Maria San Juanita/24531/F DOB 11-05-1958 (64 Years) Date of service 05-09-2023

9 of 17

Patient: Marron, Maria San Juanita**Address:** 17105 Queen Palm Dr Pentas, TX 78576**Date of Birth:** November 05, 1958

ezetimibe 10 mg tablet, 1 Tablet(s) PO daily, 30 days. Completed Rx. Inactive
 ezetimibe 10 mg tablet, 1 Tablet(s) PO daily. Inactive
~~FENOFIBRATE 145MG TABLET 145 tablet, 1 Tablet(s) PO daily.~~ Inactive
 FENOFIBRATE 145MG TABLET 145 tablet, 1 Tablet(s) PO QHS. Inactive
 FENOFIBRATE 145MG TABLET 145 tablet, 1 Tablet(s) PO daily. Inactive
 Fiber (calcium polycarbophil) 625 mg tablet, 2 Tablet(s) PO daily as needed. Completed Rx. Inactive
 Fiber (calcium polycarbophil) 625 mg tablet, 2 Tablet(s) PO daily. Inactive
 Fioricet 50 mg-300 mg-40 mg capsule, 1-2 Capsule(s) PO Q4H as needed as needed for headache.
 Max 6 capsules daily. Completed Rx. Inactive
 Flagyl 500 mg tablet, 1 Tablet(s) PO BID para infeccion de H-pylori, 14 days. Completed Rx. Inactive
 Flonase Allergy Relief 50 mcg/actuation nasal spray,suspension, Take 2 Spray Nasal every day each
 nostril, 30 days. Completed Rx. Inactive
 furosemide 20 mg tablet, Take 1 Tablet(s) Oral every day as needed for leg swelling only, 30 days.
 Completed Rx. Inactive
 furosemide 20 mg tablet, 1 Tablet(s) PO daily as needed edema (spanish). Completed Rx. Inactive
 furosemide 20 mg tablet, 1 Tablet(s) PO daily as needed as needed for leg edema. Completed Rx.
 Inactive
 gabapentin 100 mg capsule, 1 Capsule(s) PO BID, 30 days. Completed Rx. Inactive
 gabapentin 100 mg capsule, 1 Capsule(s) PO QHS for numbness, 30 days. Completed Rx. Inactive
 gabapentin 300 mg capsule, 1 Capsule(s) PO BID muscle pain (In spanish). Completed Rx. Inactive
 gabapentin 300 mg capsule, 1 Capsule(s) PO QHS for 7 day then take 1 cap tice daily. Inactive
 glipizide 5 mg tablet, 1 Tablet(s) PO BID para diabetes, 30 days. Completed Rx. Inactive
 glipizide 5 mg tablet, 1 Tablet(s) PO para diabetes, 30 days. Completed Rx. Inactive
 glipizide 5 mg tablet, 1 Tablet(s) PO BID para diabetes, 90 days. Completed Rx. Inactive
 glipizide 5 mg tablet, 1 Tablet(s) PO daily. Inactive
 Humalog Mix 75-25 100 unit/mL subcutaneous suspension, INJECT 45 UNITS SUBCUTANEOUSLY
 EVERY MORNING Y 43 UNITS EVERY EVENING, 34 days. Completed Rx. Inactive
 Humalog Mix 75-25 100 unit/mL subcutaneous suspension, 45 Unit(s) SQ in AM, 43 units SC in PM.
 Completed Rx. Inactive
 Humalog Mix 75-25 100 unit/mL subcutaneous suspension, INJECT 42 UNITS SUBCUTANEOUSLY IN
 THE MORNING AND 37 UNITS IN THE EVENING, 26 days. Completed Rx. Inactive
 Humalog Mix 75-25 100 unit/mL subcutaneous suspenslon, INJECT 42 UNITS SUBCUTANEOUSLY IN
 THE MORNING AND 37 UNITS IN THE EVENING, 26 days. Completed Rx. Inactive
 Humalog Mix 75-25 100 unit/mL subcutaneous suspension, INJECT 42 UNITS SUBCUTANEOUSLY IN
 THE MORNING AND 37 UNITS IN THE EVENING, 26 days. Completed Rx. Inactive
 Humalog Mix 75-25 100 unit/mL subcutaneous suspension, INJECT 42 UNITS SUBCUTANEOUSLY IN
 THE MORNING AND 37 UNITS IN THE EVENING, 26 days. Completed Rx. Inactive
 Humalog Mix 75-25 100 unit/mL subcutaneous suspenslon, Unit(s) INJECT 42 UNITS
 SUBCUTANEOUSLY IN THE MORNING AND 37 UNITS IN THE EVENING, 26 days. Completed Rx.
 Inactive
 Humalog Mix 75-25 100 unit/mL subcutaneous suspension, Unit(s) INJECT 42 UNITS
 SUBCUTANEOUSLY IN THE MORNING AND 37 UNITS IN THE EVENING, 26 days. Completed Rx.
 Inactive
 Humalog Mix 75-25 100 unit/mL subcutaneous suspension, INJECT 42 UNITS SUBCUTANEOUSLY IN
 THE MORNING AND 37 UNITS IN THE EVENING, 26 days. Completed Rx. Inactive
 Humalog Mix 75-25 100 unit/mL subcutaneous suspension, INJECTE 43 UNIDADES EN LA MANANA Y
 37 EN LA TARDE. Completed Rx. Inactive
 Humalog Mix 75-25 KwikPen 100 unit/mL subcutaneous insulin pen, 47 Unit(s) SQ in AM, 45 units SQ in
 PM. Completed Rx. Inactive
 Humalog Mix 75-25 100 unit/mL subcutaneous insulin pen, 47 Unit(s) SQ QAM 45 units SQ in PM.
 Inactive
 Humalog Mix 75-25 100 unit/mL subcutaneous suspenslon, 45 Unit(s) SQ in AM, 43 units SC in PM.
 Completed Rx. Inactive
 Humalog Mix 75-25 100 unit/mL (75-25) Susp, Sub-Q Inj, Unit(s) SQ injecte 43 unidades en la manana y

Marron, Maria San Juanita/24531/F DOB 11-05-1958 (64 Years) Date of service 05-09-2023

10 of 17

Patient: Marron, Marla San Juanita

Address: 17105 Queen Palm Dr Penitas, TX 78576

Date of Birth: November 05, 1958

37 en la tarde, 90 days. Inactive

Humalog Mix 75-25 (U-100) Insulin 100 unit/mL subcutaneous insulin pen, Take 20 Unit(s)

Subcutaneous two times a day, 30 days. Completed Rx. Inactive

Humalog 100 unit/mL subcutaneous solution, 45 Unit(s) SQ in AM. 43 units SQ In PM. Inactive

~~Humalog 100 unit/mL subcutaneous solution, 45 Unit(s) SQ in AM and 40 in PM. Completed Rx.~~

Inactive

Humalog 100 unit/mL subcutaneous solution, 45 Unit(s) SQ in AM and 40 in PM. Inactive

hydrochlorothiazide 12.5 mg tablet, 1 Tablet(s) PO daily. Inactive

hydrochlorothiazide 12.5 mg tablet, 1 Tablet(s) PO daily. Inactive

hydrocodone-acetaminophen 5 mg-500 mg tablet, TAKE 1 TABLET BY MOUTH EVERY SIX HOURS

AS NEEDED;Generic For:LOR 5-500MG The approved controlled substance refill request will be faxed..

Completed Rx. Inactive

hydrocodone-acetaminophen 5 mg-500 mg tablet, TAKE 1 TABLET BY MOUTH EVERY SIX HOURS

AS NEEDED;Generic For:LOR 5-500MG The approved controlled substance refill request will be faxed..

Inactive

hydrocodone 10 mg-acetaminophen 325 mg tablet, 1 Tablet(s) PO.Q4-6H como sea nesesarario.

Inactive

hydrocodone 5 mg-acetaminophen 325 mg tablet, 1 Tablet(s) PO TID as needed for pain. Completed

Rx. Inactive

hydrocodone 5 mg-acetaminophen 325 mg tablet, 1 Tablet(s) PO TID as needed for pain. Completed

Rx. Inactive

hydrocodone-acetaminophen 5 mg-500 mg tablet, 1 Tablet(s) PO Every 6 hours as needed. Inactive

hydrocodone 5 mg-acetaminophen 500 mg tablet, 1 PO Q4-6H Generic For:LOR 5-500MG The

approved controlled substance refill request will be faxed., 30 days. Completed Rx. Inactive

hydroxyzine HCl 25 mg tablet, 1 Tablet(s) PO Q6-8H as needed itch. Completed Rx. Inactive

ibuprofen 600 mg tablet, 1 Tablet(s) PO Q6-8H with food as needed for mouth, jaw and TMJ pain (in

spanish). Completed Rx. Inactive

Januvia 50 mg tablet, 1 Tablet(s) PO dally for diabetes, 30 days. Completed Rx. Inactive

~~lactulose 10 gram/15 mL (15 mL) Oral Soln, 1 Teaspoon(s) PO QHS, 30 days. Completed Rx. Inactive~~

lactulose 10 gram/15 mL Oral Soln, PO daily 15-30 MLS. Completed Rx. Inactive

~~Levaquin 250 mg tablet, 1 Tablet(s) PO BID infection, 14 days. Completed Rx. Inactive~~

~~Levaquin 500 mg tablet, 1 Tablet(s) PO daily, 10 days. Completed Rx. Inactive~~

Levaquin 500 mg tablet, 1 Tablet(s) PO daily for infection (spanish), 10 days. Completed Rx. Inactive

Levaquin 500 mg tablet, 1 Tablet(s) PO daily, 10 days. Completed Rx. Inactive

~~Levemir 100 unit/mL Sub Q, 30 SQ BID, 90 days. Completed Rx. Inactive~~

levofloxacin 500 mg tablet, 1 Tablet(s) PO daily. Inactive

Linzess 145 mcg capsule, TAKE 1 CAPSULE BY MOUTH ONCE A DAY EVERY MORNING BEFORE

BREAKFAST FOR CONSTIPATION, 90 days. Completed Rx. Inactive

Linzess 145 mcg capsule, TAKE 1 CAPSULE BY MOUTH ONCE A DAY EVERY MORNING BEFORE

BREAKFAST FOR CONSTIPATION, 90 days. Completed Rx. Inactive

Linzess 145 mcg capsule, TAKE 1 CAPSULE BY MOUTH ONCE A DAY EVERY MORNING BEFORE

BREAKFAST FOR CONSTIPATION, 90 days. Completed Rx. Inactive

Linzess 145 mcg capsule, 1 Tablet(s) Oral every morning before breakfast for constipation, 90 days.

Completed Rx. Inactive

Linzess 145 mcg capsule, 1 Tablet(s) Oral every morning before breakfast for constipation, 90 days.

Completed Rx. Inactive

Linzess 145 mcg capsule, 1 Capsule(s) Oral every morning, 90 days. Completed Rx. Inactive

Linzess 145 mcg capsule, 1 Capsule(s) Oral every morning. Inactive

Linzess 145 mcg capsule, 1 Capsule(s) PO QAM constipation- Instructions in spanish please, 90 days.

Completed Rx. Inactive

Linzess 290 mcg capsule, 1 Capsule(s) PO daily 1/2 hora antes de comidas, 30 days. Completed Rx.

Inactive

~~lisinopril 20 mg tablet, TAKE 1 TABLET BY MOUTH ONCE DAILY FOR BLOOD PRESSURE;Generic~~

~~For:PRINIVIL 20MG. Completed Rx. Inactive~~

Marron, Maria San Juanita/24531/F DOB 11-05-1958 (64 Years) Date of service 05-09-2023

11 of 17

Patient: Marron, Maria San Juanita

Address: 17105 Queen Palm Dr Penitas, TX 78576

Date of Birth: November 05, 1958

lisinopril 20 mg tablet, TAKE 1 TABLET BY MOUTH ONCE DAILY FOR BLOOD PRESSURE;Generic For:PRINIVIL 20MG. Completed Rx. Inactive
lisinopril 20 mg tablet, 1 Tablet(s) PO daily, 90 days. Completed Rx. Inactive
lisinopril 20 mg tablet, 1 Tablet(s) PO daily for blood pressure, 90 days. Inactive
loratadine 10 mg tablet, TAKE 1 TABLET BY MOUTH ONCE DAILY AS DIRECTED, 30 days. Completed Rx. Inactive
loratadine 10 mg tablet, TAKE 1 TABLET BY MOUTH ONCE DAILY AS DIRECTED, 30 days. Completed Rx. Inactive
loratadine 10 mg tablet, TAKE 1 TABLET BY MOUTH ONCE DAILY AS DIRECTED, 30 days. Completed Rx. Inactive
loratadine 10 mg tablet, 1 Tablet(s) PO daily, 30 days. Completed Rx. Inactive
loratadine 10 mg tablet, 1 Tablet(s) PO daily. Completed Rx. Inactive
loratadine 10 mg tablet, 1 Tablet(s) PO daily. Inactive
loratadine 10 mg tablet, 1 Tablet(s) PO daily, 60 days. Inactive
loratadine 10 mg tablet, 1 Tablet(s) PO daily use as directed as needed, 30 days. Completed Rx. Inactive
loratadine 10 mg tablet, 1 Tablet(s) PO daily. Inactive
lorazepam 0.5 mg tablet, 1/2-1 Tablet(s) PO BID as needed anxiety. Completed Rx. Inactive
losartan 100 mg tablet, 1 Tablet(s) PO daily PARA LA PRESION, 90 days. Completed Rx. Inactive
losartan 100 mg tablet, 1 Tablet(s) 1 Tablet(s) PO daily for high blood pressure, 90 days. Completed Rx. Inactive
losartan 100 mg tablet, 1 Tablet(s) 1 Tablet(s) PO daily for high blood pressure, 90 days. Completed Rx. Inactive
losartan 100 mg tablet, 1 Tablet(s) PO daily for high blood pressure, 90 days. Completed Rx. Inactive
losartan 100 mg tablet, Take 1 Tablet(s) Oral every day FOR BLOOD PRESSURE, 90 days. Completed Rx. Inactive
losartan 100 mg tablet, Take 1 Tablet(s) Oral every day FOR BLOOD PRESSURE, 90 days. Completed Rx. Inactive
losartan 100 mg tablet, 1 Tablet(s) Oral every day presion, 90 days. Completed Rx. Inactive
losartan 100 mg tablet, 1 Tablet(s) Oral every day preslon, 90 days. Completed Rx. Inactive
losartan 100 mg tablet, 1 Tablet(s) Oral every day, 90 days. Completed Rx. Inactive
losartan 100 mg tablet, 1 Tablet(s) PO daily PARA LA PRESION, 90 days. Completed Rx. Inactive
losartan 100 mg tablet, 1 Tablet(s) PO daily PARA LA PRESION, 90 days. Completed Rx. Inactive
losartan 100 mg tablet, 1 Tablet(s) PO daily PARA LA PRESION, 90 days. Completed Rx. Inactive
losartan 100 mg tablet, 1 Tablet(s) PO daily for high blood pressure, 90 days. Completed Rx. Inactive
losartan 100 mg tablet, 1 Tablet(s) PO daily blood pressure, 90 days. Completed Rx. Inactive
losartan 100 mg tablet, 1 Tablet(s) PO daily blood pressure, 60 days. Completed Rx. Inactive
losartan 100 mg tablet, 1 Tablet(s) PO daily. Inactive
losartan 100 mg-hydrochlorothiazide 12.5 mg tablet, 1 Tablet(s) Oral every day, 90 days. Completed Rx. Inactive
Lotemax 0.5 % eye drops,suspension, 1 Drop(s) ophthalmic (eye) TID. Inactive
Lovaza 1 gram capsule, 2 Capsule(s) PO BID, 90 days. Completed Rx. Inactive
Lovaza 1 gram capsule, 1 Capsule(s) PO BID. Inactive
Lovaza 1 gram capsule, 2 Capsule(s) PO BID. Completed Rx. Inactive
Lunesta 3 mg tablet, TAKE 1 TABLET BY MOUTH AT BEDTIME The approved controlled substance refill request will be faxed.. Completed Rx. Inactive
Lunesta 3 mg tablet, TAKE 1 TABLET BY MOUTH AT BEDTIME The approved controlled substance refill request will be faxed.. Completed Rx. Inactive
Lunesta 3 mg tablet, PO TAKE 1 TABLET BY MOUTH AT BEDTIME The approved controlled substance refill request will be faxed.. Completed Rx. Inactive
Lunesta 3 mg tablet, 1 Tablet(s) PO QHS, 30 days. Inactive
Lunesta 3 mg tablet, 1 Tablet(s) PO QHS. Inactive
Macrobid 100 mg capsule, 1 Capsule(s) PO BID, 7 days. Completed Rx. Inactive
Macrobid 100 mg capsule, 1 Capsule(s) PO BID, 7 days. Completed Rx. Inactive

Marron, Maria San Juanita/24531/F DOB 11-05-1958 (64 Years) Date of service 05-09-2023

12 of 17

Patient: Marron, Maria San Juanita

Address: 17105 Queen Palm Dr Penitas, TX 78576

Date of Birth: November 05, 1958

Macrobid 100 mg capsule, 1 Capsule(s) PO TID for UTI (in spanish), 10 days. Completed Rx. Inactive
metformin 500 mg tablet, TAKE 1 TABLET BY MOUTH TWICE A DAY, 90 days. Completed Rx.
Inactive
metformin 500 mg tablet, TAKE 1 TABLET BY MOUTH TWICE DAILY, 90 days. Completed Rx.
Inactive
metformin 500 mg tablet, TAKE 1 TABLET BY MOUTH TWICE DAILY FOR DIABETES, 30 days.
Completed Rx. Inactive
metformin 500 mg tablet, 1 Tablet(s) BID 1 Tablet(s) PO BID for diabetes, 90 days. Completed Rx.
Inactive
metformin 500 mg tablet, 1 Tablet(s) BID 1 Tablet(s) PO BID for diabetes, 90 days. Completed Rx.
Inactive
metformin 500 mg tablet, 1 Tablet(s) PO BID for diabetes, 30 days. Completed Rx. Inactive
metformin 500 mg tablet, Tablet(s) TAKE 1 TABLET BY MOUTH THREE TIMES DAILY, 90 days.
Completed Rx. Inactive
metformin 500 mg tablet, TAKE 1 TABLET BY MOUTH THREE TIMES DAILY, 90 days. Completed Rx.
Inactive
metformin 500 mg tablet, TAKE ONE TABLET BY MOUTH TWICE A DAY PARA DIABETES, 90 days.
Completed Rx. Inactive
metformin 500 mg tablet, TAKE ONE TABLET BY MOUTH TWICE A DAY PARA DIABETES, 90 days.
Completed Rx. Inactive
metformin 500 mg tablet, TAKE ONE TABLET BY MOUTH TWICE A DAY PARA DIABETES, 90 days.
Completed Rx. Inactive
metformin 500 mg tablet, TAKE ONE TABLET BY MOUTH TWICE A DAY PARA DIABETES, 90 days.
Completed Rx. Inactive
metformin 500 mg tablet, Take 1 Tablet(s) Oral two times a day FOR DIABETES, 90 days. Completed
Rx. Inactive
metformin 500 mg tablet, Take 1 Tablet(s) Oral two times a day FOR DIABETES, 90 days. Completed
Rx. Inactive
metformin 500 mg tablet, Take 1 Tablet(s) Oral two times a day, 90 days. Completed Rx. Inactive
metformin 500 mg tablet, 1 Tablet(s) Oral two times a day, 90 days. Completed Rx. Inactive
metformin 500 mg tablet, 1 Tablet(s) Oral three times a day, every 8 hours, 90 days. Completed Rx.
Inactive
metformin 500 mg tablet, 1 Tablet(s) PO TID. Inactive
metformin 500 mg tablet, 1 Tablet(s) PO TID TAKE 1 TABLET BY MOUTH TID DAILY FOR DIABETES,
30 days. Completed Rx. Inactive
metformin 500 mg tablet, 1 Tablet(s) PO BID for diabetes, 30 days. Completed Rx. Inactive
metformin 500 mg tablet, 2 Tablet(s) PO BID diabetes, 90 days. Completed Rx. Inactive
metformin 500 mg tablet, 1 Tablet(s) PO BID. Inactive
metformin 500 mg tablet, 1 Tablet(s) PO BID. Inactive
metformin 500 mg tablet, Tablet(s) PO TAKE 1 TABLET BY MOUTH TWICE DAILY. Completed Rx.
Inactive
metformin 500 mg tablet, PO TAKE 1 TABLET BY MOUTH TWICE DAILY;Generic For:GLUCOPHAGE
500MG. Completed Rx. Inactive
metoprolol tartrate 100 mg tablet, 1 Tablet(s) PO BID, 30 days. Completed Rx. Inactive
metoprolol tartrate 100 mg tablet, TAKE 1 TABLET BY MOUTH THREE TIMES DAILY, 60 days.
Completed Rx. Inactive
metoprolol tartrate 100 mg tablet, TAKE 1 TABLET BY MOUTH THREE TIMES DAILY, 60 days.
Completed Rx. Inactive
metoprolol tartrate 100 mg tablet, 1 Tablet(s) PO BID, 30 days. Completed Rx. Inactive
metoprolol tartrate 100 mg tablet, 1 Tablet(s) PO TID. Inactive
metoprolol tartrate 100 mg tablet, 1 Tablet(s) PO daily for high blood pressure, 30 days. Completed Rx.
Inactive
metoprolol tartrate 100 mg tablet, 1 Tablet(s) PO BID. Inactive
metoprolol tartrate 100 mg tablet, 1 Tablet(s) PO BID, 90 days. Completed Rx. Inactive

Marron, Maria San Juanita/24531/F DOB 11-05-1958 (64 Years) Date of service 05-09-2023

13 of 17

Patient: Marron, Maria San Juanita

Address: 17105 Queen Palm Dr Penitas, TX 78576

Date of Birth: November 05, 1958

metoprolol tartrate 100 mg tablet, 1 Tablet(s) PO daily. Inactive
metoprolol tartrate 50 mg tablet, 1 Tablet(s) PO daily, 30 days. Inactive
metronidazole 500 mg tablet, TAKE 1 TABLET BY MOUTH TWICE DAILY;Generic For:FLAGYL 500MG. Completed Rx. Inactive
metronidazole 500 mg tablet, 1 Tablet(s) PO BID for HPYLORI, 14 days. Completed Rx. Inactive
metronidazole 500 mg tablet, 1 Tablet(s) PO BID. Inactive
montelukast 10 mg tablet, Take 1 Tablet(s) Oral every evening allergy, 90 days. Completed Rx. Inactive
mupirocin 2 % topical ointment, 1 Application Topical two times a day, every 12 hours affected area, 14 days. Completed Rx. Inactive
naproxen 500 mg tablet, 1 Tablet(s) PO BID. Inactive
naproxen 500 mg tablet, 1 Tablet(s) PO BID as needed for pain, 30 days. Completed Rx. Inactive
Nasonex 50 mcg/actuation Spray, 1-2 Spray NASAL daily both nostrils. Completed Rx. Inactive
Nasonex 50 mcg/actuation Spray, 2 Spray NASAL daily 2 sprays in each nostril daily. Completed Rx. Inactive
neomycin-polymyxin-hydrocort 3.5 mg/mL-10,000 unit/mL-1 % ear solution, Take 4 GTTS otic (ear) four times a day apply to affected ear, 7 days. Completed Rx. Inactive
Nexium 40 mg capsule,delayed release, TAKE 1 CAPSULE BY MOUTH TWICE DAILY. Completed Rx. Inactive
Nexium 40 mg capsule,delayed release, TAKE 1 CAPSULES BY MOUTH TWICE DAILY, 30 days. Completed Rx. Inactive
Nexium 40 mg capsule,delayed release, TAKE 1 CAPSULE BY MOUTH TWICE DAILY. Inactive
Nexium 40 mg capsule,delayed release, 1 Capsule(s) PO BID. Completed Rx. Inactive
~~Nexium 40 mg capsule,delayed release, 1 Capsule(s) PO daily, 30 days. Completed Rx. Inactive~~
~~Nexium 40 mg capsule,delayed release, 1 Capsule(s) PO daily. Completed Rx. Inactive~~
Nexium 40 mg capsule,delayed release, 1 Capsule(s) PO daily, 30 days. Completed Rx. Inactive
Nexium 40 mg capsule,delayed release, 1 PO BID TAKE 1 CAPSULE BY MOUTH TWICE DAILY, 30 days. Completed Rx. Inactive
Nexium 40 mg capsule,delayed release, 1 PO BID TAKE 1 CAPSULE BY MOUTH TWICE DAILY, 30 days. Completed Rx. Inactive
Nexium 40 mg capsule,delayed release, 1 Capsule(s) PO BID. Inactive
omeprazole 40 mg capsule,delayed release, TAKE 1 CAPSULE BY MOUTH ONCE A DAY EVERY MORNING AS NEEDED, 90 days. Completed Rx. Inactive
omeprazole 40 mg capsule,delayed release, 1C1 QAM PRN, 90 days. Completed Rx. Inactive
omeprazole 40 mg capsule,delayed release, 1C1 QAM PRN, 90 days. Completed Rx. Inactive
omeprazole 40 mg capsule,delayed release, TAKE ONE CAPSULE BY MOUTH EVERY MORNING PARA GASTRITIS, 30 days. Completed Rx. Inactive
omeprazole 40 mg capsule,delayed release, Take 1 Tablet(s) Oral every morning, 90 days. Completed Rx. Inactive
omeprazole 40 mg capsule,delayed release, Take 1 Tablet(s) Oral every morning, 90 days. Completed Rx. Inactive
omeprazole 40 mg capsule,delayed release, Take 1 Capsule(s) Oral every morning, 30 days. Completed Rx. Inactive
omeprazole 40 mg capsule,delayed release, Take 1 Tablet(s) Oral every morning, 30 days. Completed Rx. Inactive
omeprazole 40 mg capsule,delayed release, 1 Capsule(s) Oral every morning as needed for pain, 90 days. Completed Rx. Inactive
omeprazole 20 mg capsule,delayed release, 1 Capsule(s) PO daily, 30 days. Completed Rx. Inactive
omeprazole 20 mg capsule,delayed release, 1 Capsule(s) PO BID. Inactive
omeprazole 20 mg capsule,delayed release, 1 Capsule(s) PO daily. Completed Rx. Inactive
omeprazole 20 mg capsule,delayed release, 1 Capsule(s) PO daily. Inactive
omeprazole 20 mg capsule,delayed release, 1 Capsule(s) PO daily. Inactive
omeprazole 20 mg tablet,delayed release, 1 Tablet(s) PO daily gastritis, 30 days. Completed Rx. Inactive
omeprazole 40 mg capsule,delayed release, 1 Capsule(s) PO QAM as needed for pain, 90 days.

Marron, Maria San Juanita/24531/F DOB 11-05-1958 (64 Years) Date of service 05-09-2023

14 of 17

Patient: Marron, Maria San Juanita**Address:** 17105 Queen Palm Dr Penitas, TX 78576**Date of Birth:** November 05, 1958

Completed Rx. Inactive

omeprazole 40 mg capsule,delayed release, 1 Capsule(s) PO daily, 30 days. Completed Rx. Inactive

omeprazole 40 mg capsule,delayed release, 1 Capsule(s) PO daily, 30 days. Completed Rx. Inactive

omeprazole 40 mg capsule,delayed release, 1 Capsule(s) PO daily. Inactive

orphenadrine citrate ER 100 mg tablet,extended release, 1 Tablet(s) PO BID. Inactive

orphenadrine citrate ER 100 mg tablet,extended release, 1 Tablet(s) PO BID. Inactive

Peridex 0.12 % mouthwash, 15 Milliliter(s) MM BID swish x 30 seconds then spit x 1 week. Completed

Rx. Inactive

Peridex 0.12 % mouthwash, 15 Milliliter(s) MM BID swish x 30 seconds then spl x 1 week. Completed

Rx. Inactive

Peridex 0.12 % mouthwash, MM Swish and spl 15 ml BID for oral sores (spanish). Completed Rx.

Inactive

pioglitazone 30 mg tablet, 1T1 PARA DIABETES, 90 days. Completed Rx. Inactive

pioglitazone 30 mg tablet, 1 Tablet(s) PO daily diabetes, 90 days. Completed Rx. Inactive

pioglitazone 30 mg tablet, 1 Tablet(s) PO daily para diabetes, 30 days. Completed Rx. Inactive

pioglitazone 30 mg tablet, TAKE ONE TABLET BY MOUTH ONCE A DAY PARA DIABETES, 90 days.

Completed Rx. Inactive

pioglitazone 30 mg tablet, TAKE ONE TABLET BY MOUTH ONCE A DAY PARA DIABETES, 90 days.

Completed Rx. Inactive

pioglitazone 30 mg tablet, TAKE ONE TABLET BY MOUTH ONCE A DAY PARA DIABETES, 90 days.

Completed Rx. Inactive

pioglitazone 30 mg tablet, Tablet(s) tablet Oral, 90 days. Completed Rx. Inactive

pioglitazone 30 mg tablet, tablet oral, 90 days. Inactive

pioglitazone 30 mg tablet, Take 1 Tablet(s) Oral every day, 90 days. Completed Rx. Inactive

pioglitazone 30 mg tablet, Take Tablet(s) Oral every day, 30 days. Inactive

pioglitazone 30 mg tablet, 1 Tablet(s) PO daily diabetes, 90 days. Completed Rx. Inactive

pioglitazone 30 mg tablet, 1 Tablet(s) PO daily para diabetes, 30 days. Completed Rx. Inactive

pioglitazone 30 mg tablet, 1 Tablet(s) PO daily para diabetes, 30 days. Completed Rx. Inactive

pioglitazone 30 mg tablet, 1 Tablet(s) PO daily. Inactive

~~prednisone 20 mg tablet, 1 Tablet(s) PO daily x 10 days. Completed Rx. Inactive~~

ranitidine 150 mg tablet, 1 Tablet(s) BID. Inactive

ranitidine 150 mg tablet, 1 Tablet(s) PO daily, 30 days. Completed Rx. Inactive

ranitidine 150 mg tablet, 1 Tablet(s) PO daily. Inactive

ranitidine 150 mg tablet, 1 Tablet(s) PO BID gastritis, 30 days. Completed Rx. Inactive

ranitidine 300 mg tablet, 1 Tablet(s) PO BID. Inactive

ranitidine 300 mg tablet, 1 Tablet(s) PO BID gastritis, 30 days. Completed Rx. Inactive

Robitussin Cough-Chest Congestion DM 5 mg-100 mg/5 mL oral liquid, Take 5-10 Milliliter(s) Oral every

four hours, 7 days. Completed Rx. Inactive

Robitussin Cough-Chest Congestion DM 5 mg-100 mg/5 mL oral liquid, Take 5-10 Milliliter(s) Oral every

four hours, 7 days. Completed Rx. Inactive

Robitussin Cough-Chest Congestion DM 5 mg-100 mg/5 mL oral liquid, 5-10 Milliliter(s) Oral every four

hours, 7 days. Completed Rx. Inactive

sucralfate 1 gram tablet, 1 Tablet(s) PO TID, 30 days. Inactive

Terazol 7 0.4 % vaginal cream, 1 Application VAG QHS 1 applicatorful PV QHS X 7 days., 7 days.

Completed Rx. Inactive

Tessalon Perles 100 mg capsule, 1 Capsule(s) Oral two times a day cough, 10 days. Completed Rx.

Inactive

~~Tessalon Perles 100 mg capsule, 1 Capsule(s) PO TID as needed for cough, 21 days. Completed Rx.~~

Inactive

tramadol 50 mg tablet, 1 Tablet(s) tablet Oral two times a day, 30 days. Completed Rx. Inactive

tramadol 50 mg tablet, tablet oral, 23 days. Inactive

tramadol 50 mg tablet, Take 1 Tablet(s) Oral three times per week, 30 days. Inactive

tramadol 50 mg tablet, 1 Tablet(s) Oral three times a day, every 8 hours as needed for pain (In spanish),

30 days. Completed Rx. Inactive

Marron, Maria San Juanita/24531/F DOB 11-05-1958 (64 Years) Date of service 05-09-2023

15 of 17

Patient: Marron, Maria San Juanita

Address: 17105 Queen Palm Dr Penitas, TX 78576

Date of Birth: November 05, 1958

tramadol 50 mg tablet, 1 Tablet(s) Oral three times a day, every 8 hours as needed for pain (in spanish), 30 days. Completed Rx. Inactive

tramadol 50 mg tablet, 1 Tablet(s) Oral three times a day, every 8 hours as needed for pain (in spanish), 30 days. Completed Rx. Inactive

tramadol 50 mg tablet, 1 Tablet(s) Oral three times a day, every 8 hours as needed for pain (in spanish), 30 days. Completed Rx. Inactive

tramadol 50 mg tablet, 1 Tablet(s) PO TID as needed for pain (In spanish), 30 days. Completed Rx. Inactive

tramadol 50 mg tablet, 1 Tablet(s) PO TID as needed for neck and back pain (in spanish). Completed Rx. Inactive

tramadol 50 mg tablet, 1 Tablet(s) PO TID as needed for neck and back pain (in spanish). Completed Rx. Inactive

tramadol 50 mg tablet, 1 Tablet(s) PO TID as needed for neck and back pain (in spanish). Completed Rx. Inactive

triamcinolone acetonide 0.1 % dental paste, 1 Application Dent BID apply to oral sores (spanish). Completed Rx. Inactive

Tricor 145 mg tablet, TAKE 1 TABLET BY MOUTH AT BEDTIME FOR CHOLESTEROL. Completed Rx. Inactive

~~Tricor 145 mg tablet, 1 Tablet(s) PO QHS CHOLESTEROL, 30 days. Completed Rx. Inactive~~

Tricor 145 mg tablet, 1 Tablet(s) PO QHS for cholesterol, 90 days. Inactive

Tylenol-Codeine #3 300 mg-30 mg tablet, 1 Tablet(s) PO TID as needed, 30 days. Completed Rx. Inactive

ursodiol 300 mg capsule, TAKE 1 CAPSULE BY MOUTH TWICE DAILY, 90 days. Completed Rx. Inactive

ursodiol 300 mg capsule, 1 Capsule(s) PO BID. Inactive

~~Viczoza 2-Pak 0.6 mg/0.1 mL (18 mg/3 mL) subcutaneous pen injector, Milliliter(s) SQ Inject 0.6 mg SQ daily x 1 week then inject 1.2 mg SQ daily. Completed Rx. Inactive~~

Vitamin D2 50,000 unit capsule, TAKE 1 CAPSULE BY MOUTH ONCE A WEEK, 55 days. Completed Rx. Inactive

Vitamin D2 1,250 mcg (50,000 unit) capsule, Take 1 Capsule(s) Oral once a week, 84 days. Completed Rx. Inactive

Vitamin D2 50,000 unit capsule, 1 Capsule(s) Oral QWK, 90 days. Completed Rx. Inactive

Vitamin D2 50,000 unit capsule, 1 Capsule(s) PO QW, 90 days. Completed Rx. Inactive

~~Vitamin D2 50,000 unit capsule, 1 Capsule(s) PO QW vitamind deficiency (in spanish), 90 days. Completed Rx. Inactive~~

Vitamin D3 5,000 unit tablet, 1 Tablet(s) PO QW. Inactive

Zelia 10 mg tablet, 1 Tablet(s) PO daily para cholesterol, 90 days. Completed Rx. Inactive

Zelia 10 mg tablet, 1 Tablet(s) PO daily para cholesterol, 30 days. Completed Rx. Inactive

Zithromax Z-Pak 250 mg tablet, Tablet(s) PO Take 2 tablets by mouth the first day, then 1 tablet for 4 days., 5 days. Completed Rx. Inactive

~~Zithromax Z-Pak 250 mg tablet, Tablet(s) PO Take 2 tablets by mouth the first day, then 1 tablet for 4 days., 5 days. Completed Rx. Inactive~~

Zithromax Z-Pak 250 mg tablet, Tablet(s) PO Take 2 tablets by mouth the first day, then 1 tablet for 4 days., 5 days. Completed Rx. Inactive

Zofran ODT 4 mg disintegrating tablet, 1 Tablet(s) PO TID as needed nausea. Completed Rx. Inactive

Zofran ODT 4 mg disintegrating tablet, 1 Tablet(s) PO TID as needed nausea (In spanish), 7 days. Completed Rx. Inactive

Zofran 4 mg tablet, Take 1 Tablet(s) Oral two times a day as needed for nausea, 30 days. Completed Rx. Inactive

Zofran 4 mg tablet, Take 1 Tablet(s) Oral two times a day as needed for nausea, 30 days. Completed Rx. Inactive

Zofran 4 mg tablet, 1 Tablet(s) Oral two times a day as needed for nausea, 30 days. Completed Rx. Inactive

~~zolidem 10 mg tablet, 1 Tablet(s) PO QHS, 30 days. Completed Rx. Inactive~~

Marron, Maria San Juanita/24531/F DOB 11-05-1958 (64 Years) Date of service 05-09-2023

16 of 17

Patient: Marron, Maria San Juanita

Address: 17105 Queen Palm Dr Penltas, TX 78576

Date of Birth: November 05, 1958

zolpidem 10 mg tablet, 1 Tablet(s) PO QHS, 30 days. Completed Rx. Inactive
 zolpidem 10 mg tablet, 1 Tablet(s) PO QHS, 30 days. Inactive

Drug Allergy:AugmentinLevaquin pruritisLipitor myalgiasEGG/POULTRY anaphylaxis**Immunization:**

Influenza Type: Flu (>= 3yrs) Complete 09/16/2022 Dose: 0.5 Notes: NDC 70461-322-03

~~Influenza Type: Flu (>= 3yrs) Complete 11/15/2021 Dose: 0.5 Notes: NDC70461-421-10~~

Influenza Type: Flu (>= 3yrs) Complete 09/14/2021 Dose: 0.5 Notes: NDC 70461-321-03

Influenza Type: Flu (>= 3yrs) Complete 10/21/2020 Dose: 0.5 Notes: 33332-320-01

Influenza Type: Flu (>= 3yrs) Patient decision 03/12/2020 Notes: RE FUSED

Influenza Type: Flu (>= 3yrs) Parental decision 03/11/2019 Notes: patient refuse

Pneumococcal Type: PPSV23 Complete 11/11/2015 Dose: .5 Notes: NDC: 0006-4943-01

Surgical:

NONE

Family:

Relationship: Father Disease: *Denies any medical problems Recorded Date: February 07, 2013

Relationship: Mother Disease: *Denies any medical problems Recorded Date: February 07, 2013

Social:Tobacco history Former smoker quit last year 06/17/16 occassional cigarette againAlcohol history Never drinks alcohol**Menstrual:**This LMP date is 30 YEARS AGO**Pregnancy:**Sum of all pregnancies 4Number of deliveries after 20 weeks 1**PQRI**

Mammogram: 4/13/22 BENIGN

Spirometry 12-02-2021

Retina exam: 10/14/21 NO RETINOPATHY DR SHAH

PAP: 10/28/22 NILM (WAS 6MO REPEAT)

HbA1C: 4/18/22 7.0

Sudoscan: 7/20/15

Microalbumin: 7/11/22 NEGATIVE

Medicare Physical: 11/4/22

Colonoscopy: 5/14 no polyps

Fecal OB 11-01-2021

Marron, Maria San Juanita/24531/F DOB 11-05-1958 (64 Years) Date of service 05-09-2023

17 of 17

Patient: Marron, Maria San Juanita
Address: 17105 Queen Palm Dr Penitas, TX 78576
Date of Birth: November 05, 1958

LDL: 05-17-16 155.0

Electronically signed by: Doris Padilla NP, Np on 05/17/2023 04:31 PM

